



Hunan TCN Vending Machine Co., Ltd.
Address: No.58 North Yinzhou Road, High-technology Industrial Park,
Ningxiang City, Changsha, Hunan, China
Tel: +86-731-87101005
Web: www.tcnvend.com
Email: sales@tcnvending.com


Leading Vending Machine Manufacturer



VENDING

Leading brand since 2003

Vending The Future



Company profile


Founded in 2003, TCN Brand has focused on smart retail solutions for 22 years, aiming to be a top-tier provider in smart retail. Its parent company, Hunan Zhonggu Science & Technology Co., Ltd. (Zhonggu Group), is China's national-level SRC&I "Little Giant" enterprise in the vending machine industry. It integrates smart retail terminals, manufacturing, big data platforms, R&D, supply chain, and after-sales services under brands like TCN, ZOOMGU, Yunshu, and Yungou, serving over 1 billion global users annually.

With 4 production bases (260,000 m², 300K units annually, ¥1.5B+ in assets), 20+ subsidiaries, 3 overseas service centers (Europe, America, Southeast Asia), 4 R&D centers, and 200K+ service outlets, Zhonggu Group includes 4 high-tech enterprises, 3 "Little Giants," 2 "Gazelle Enterprises," and 1 manufacturing champion title. The Group has over 300 engineers with 20+ years of experience in electronics, software, and mechanics, collaborating with Central South University and Hunan University on innovation and talent development. It employs 1,000+ people across R&D, production, sales, and after-sales services.

Zhonggu Group and its subsidiaries possess core technologies in the vending machine sector and pursue a global development strategy. The company has obtained over 1,000 IPs, software copyrights, and certifications, including ISO 9001, CQC, UL (U.S.), CE (EU), FCC (U.S.), CB(International), PSE (Japan), IRAM (Argentina), and INMETRO (Brazil).

The innovative "TCN" product series, developed and manufactured by the company, has been deployed in over 200 countries and regions worldwide, covering all 34 provinces and municipalities in China, maintaining a leading position in global market share.

GLOBAL STRATEGIC LAYOUT



GROUP KEY METRICS

Leading brand since 2003

Global Clients



600,000+

Served Over 2 Billion
Global Users

Production Base



260,000m²

4 Global Production Bases

Productivity



300,000
units /year

200,000 Hours of Fault-Free
Precision Engineering

Market



200+
Countries & Regions

200+ Countries & Regions
& 34 Provincial Markets

Product IPs & Patents



1000+

4 R&D Centers
4 University-enterprise
Joint Research Centers

Team



1000+

Provides 24/7 Global
after-sales services

To meet the diverse needs of global markets and consumers, TCN Vending continually explores new payment solutions, driving payment methods toward greater diversity, convenience, and security.


Royal	ShopeePay(airPay)	Wechat
Beep	Ipay88	Boost Pay
True Money	GoPay	DanaPay
VMI-payment	LinePay	Mpay
MomoPay	BenefitPay	Ottu
Fincy	MTN Momo Pay	&pay
duitku	YASAI PAY	ZALO
HTG	KHQR	SSID
Ali Pay	Prompt	irispay
SSLCommerz Pay	Sunwon	NEQUI QR
Mercadopago	M-PESA	KASHIP
Swich	MAYA	RM
VNPAY		

Support over 200 languages worldwide to meet the real-time needs of global users

中文	српски језик (塞尔维亚)	español (西班牙语)	čeština (捷克语)	magyar (匈牙利语)	български език (保加利亚语)
limba română (罗马尼亚语)	日本語 (日语)	українська мова (乌克兰语)	język polski (波兰语)	English (英语)	
français (法语)	русский язык (俄语)	Deutsch (德语)	עברית (希伯来文)	italiano (意大利语)	svenska (瑞典语)
Ελληνικά (希腊语)	Português (葡萄牙语)	Tiếng Việt (越南语)	ภาษาไทย (泰语)	қазақ (哈萨克语)	عربي (阿拉伯语)
ქართული (格鲁吉亚语)	Nederlands (荷兰语)	Türkçe (土耳其语)	Azərbaycanlı (阿塞拜疆语)	Монгол хэл (蒙古语)	
Slovenija (斯洛文尼亚语)	Slovensko (斯洛伐克语)	کوردی (库尔德语) (阿姆哈拉语)	اردو (马尔都语)	فارسی (波斯语)	
Bahasa Indonesia (印度尼西亚语)	hrvatski jezik (克罗地亚语)	bosanski jezik (波斯尼亚语)	македонски јазик (马其顿语)		

Listed above is no particular order.

Simple and quick mobile web app accessing allows user to manage and operate easily at anywhere and anytime



The diagram illustrates the TCN Cloud Platform Ecosystem, centered around the **Cloud platform editing interface** (TCN 中吉® 云数云 Yunshu APP). The ecosystem is composed of several interconnected components:

- Ecosystem partner interaction:** Includes Equipment manufacturers, Owners, Restockers, Maintenance personnel, Retailers, Advertisers, Consumers, and Investors.
- Online applications:** Represented by a computer monitor icon.
- Social media:** Includes Facebook, Twitter, and Instagram icons.
- Interaction:** Includes Games, Surveys, and Coupons.
- Cross-device Hardware:** Includes TCN Equipment.
- Payment system and identity verification:** Includes Mobile wallet, Credit/Debit card, Membership Card, and Biometrics.
- Value-added Services:** Includes Bill Payment and Top-up.
- Payment system:** Includes NFC payment and Contactless.

Arrows indicate the flow of interaction and data between these components and the central cloud platform.

CONTENTS

Snack and Drink Vending Machine	01-10
Smart Cooler	11-21
Elevator Vending Machine	22-28
Intelligent Micro Market	29-31
Hot Food Vending Machine	32-43
Freezer Vending Machine	44-50
Coffee Vending Machine	51-55
Mystery box vending machine	56-57
Non-Refrigerated Vending Machine.....	58-64



**Snack & Drink
Vending Machine**

Best Seller Vending Machine

TCN-CSC-10G(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:1036mm (40.7in) D:790mm (31.1in)
Screen	5 inch LCD screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	265kg (584lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Best Seller Vending Machine

TCN-CSC-10G(V10)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



10.1"
Touch Screen



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:1036mm (40.7in) D:790mm (31.1in)
Screen	10 inch touch screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 60W
Weight	265kg (584lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Snack and Drink Vending Machine

TCN-CSC-8G(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature


- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	48 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 240 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:885mm (34.8in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	240kg (529lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Slim Vending Machine

TCN-CSC-6G(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Small Footprint, Flexible Deployment
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	36 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 180 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:732mm (28.8in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	215kg (474lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Big Screen Vending Machine

TCN-CSC-8C(V49)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



All-steel
Thickened Fuselage



49"
Touch Screen



Telemetry
system

Feature

- Large-screen with rotating ads
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	48 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 240 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1976mm(77.8in) W:1045mm(41.1in) D:900mm(35.4in)
Screen	49" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 570W Normal 60W
Weight	280kg (617.2lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Touch Screen Machine

TCN-CSC-10C(V22)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



21.5"
capacitive
screens



Telemetry
system

Feature

- Large-screen with rotating ads
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:1269mm (50.2in) D:790mm (31.1in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 510W Normal 44W
Weight	285kg (628.3lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Snack and Drink Vending Machine

TCN-CSC-12G(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	72 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 360 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:1190mm (46.8in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	290kg (639.34lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Master & Slave Vending Machine

TCN-CSC-10G(H5)+10N



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Double Capacity, One Operating System
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	120
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 600 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:1920mm (75.5in) D:790mm (31.1in)
Screen	5" Screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 840W Normal 80W
Weight	490kg (1080.27lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Cashless Vending Machine

TCN-CSC-10N(V10)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



10.1"
Touch Screen



Telemetry
system

Feature

- Integrated Multiple Contactless Payment Options
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1950mm (76.7in) W:882mm (34.7in) D:790mm (31.1in)
Screen	5 inch LCD screen (Optional) 10 inch touch screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	220kg (485lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Cup Noodles Vending Machine

TCN-CSC-10C(V22)-CN



Hot Water



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature

- Built-in Hot Water, for Cup Noodles
- Boost Sales with Multiple Items

Specification

Quantity	60 slots
Type	Spiral / Conveyor
Capacity	300 psc
Suitable for	Cup noodles,Beverages,Snacks
Dimension	H:1950mm (76.7in) W:1403mm (55.2in) D:790mm (31.1in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2800W
Weight	315kg (694.4lb)
Temperature	Non-refrigerated
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE



AI Technology TCN-CFZ-530-(EV01)



Feature

- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 530 Litre

AI technology

Dimension H:2000mm (78.4in)
W:700mm (27.5in)
D:640mm (25.2in)

Shelves 5~6 adjustable shelves

Temperature 0°C~10°C (32°F~50°F)

Refrigerat: R290

Temperature control Electronic
Remotr control

Glass door: Two-layer tempered glass door
with aluminum frame

Weight: 120kg (264.5lb)

Power: 500W

Internet connection:4G


Stock: 320 bottled drinks at 500ml

Payment methods Card payment functions

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apple pay/
Google Pay/Samsung Pay

AI Technology

TCN-CFZ-530-(EV02)




Visual sensing technology



10.1" Touch Screen



All-category sale



AI intelligent recognition



Cost effective



Telemetry system

Feature

- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification


Interior capacity 530 Litre	
AI technology	
Dimension	H:1990mm (78.3in) W:700mm (27.5in) D:640mm (25.2in)
Shelves:	5~6 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	120kg (264.5lb)
Power:	506W
Internet connection:	4G
Stock:	330 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

AI Technology


TCN-CFZ-728-(EV01)




Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature


- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 728 Litre	
AI technology	
Dimension	H:2050mm (80.7in) W:860mm (33.8in) D:695mm (27.3in)
Shelves:	5~6 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	210kg (462.9lb)
Power:	550W
Internet connection:	4G
Stock:	545 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

AI Technology

TCN-CFZ-1074-(EV01)




Visual sensing technology



10.1" Touch Screen



All-category sale



AI intelligent recognition



Cost effective



Telemetry system

Feature



- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 1074 Litre	
AI technology	
Dimension	H:2090mm (82.2in) W:1200mm (47.2in) D:700mm (27.5in)
Shelves:	5~6 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	220kg (485.01lb)
Power:	630W
Internet connection:	4G
Stock:	800 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

AI Technology

TCN-CFZ-1300-(EV01)



Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature


- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 1300 Litre	
AI technology	
Dimension	H:2092mm (82.3in) W:1430mm (56.2in) D:716mm (28.2in)
Shelves:	5~6 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	251kg (553.3in)
Power:	630W
Internet connection:	4G
Stock:	880 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology

TCN-CFZ-530-(EW01)




Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature

- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 510 Litre	
Weight sensing technology	
Dimension	H:2000mm (78.4in) W:700mm (27.5in) D:640mm (25.2in)
Shelves	5 adjustable shelves
Temperature	0°C~10°C (32°F~50°F)
Refrigerat	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	140 kg (308.65lb)
Power:	520W
Internet connection:	4G
Stock:	300 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology


TCN-CFZ-530-(EW02)




Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature


- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 530 Litre	
Weight sensing technology	
Dimension	H:1990mm (78.3in) W:700mm (27.5in) D:640mm (25.2in)
Shelves	5 adjustable shelves
Temperature	0°C~10°C (32°F~50°F)
Refrigerat	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	161kg (354.9in)
Power:	536W
Internet connection:	4G
Stock:	290 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology

TCN-CFZ-728-(EW01)



Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature


- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 728 Litre	
Weight sensing technology	
Dimension	H:2050mm (80.7in) W:860mm (33.8in) D:695mm (27.3in)
Shelves	5 adjustable shelves
Temperature	0°C~10°C (32°F~50°F)
Refrigerat	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	262kg (553.3lb)
Power:	580W
Internet connection:	4G
Stock:	395 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology

TCN-CFZ-1074-(EW01)



Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature


- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV

Specification

Interior capacity 1074 Litre	
Weight sensing technology	
Dimension	H:2090mm (82.2in) W:1200mm (47.2in) D:700mm (27.5in)
Shelves:	5 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	220kg (485.01lb)
Power:	650W
Internet connection:	4G
Stock:	600 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Monyx/Apple pay/ Google pay/Samsung pay

Weight sensing technology

TCN-CFZ-1300-(EW01)



Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature

- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification


Interior capacity 1300 Litre	
Weight sensing technology	
Dimension	H:2092mm (82.3in) W:1430mm (56.2in) D:716mm (28.1in)
Shelves	5 adjustable shelves
Temperature	0°C~10°C (32°F~50°F)
Refrigerat	R290
Temperature control	Electronic
Remotr control	
Glass door:	Two-layer tempered glass door with aluminum frame
Weight:	282kg (621.7in)
Power:	638W
Internet connection:	4G
Stock:	720 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apples pay/ Google Pay/Samsung Pay

Elevator Vending Machine



Elevator Vending Machine

TCN-CEL-11G(H5)



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



Strong compatibility
with oversized pick-up ports



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Versatile Packaging Support
- Multi-Language User Interface
- Modular Design for Easy Maintenance

Specification

Slot Quantity	60 (6 layers*10 slots)
Slot type	Spiral / Conveyor / Pusher
Slot capacity	300
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1955mm (76.9in) W:1222mm (48.1in) D:850mm (33.4in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 500W Normal 80W
Weight	340kg (749.57lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Full Screen Vending Machine

TCN-CEL-9C(V55)



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Anti-theft
shield



55"
Touch Screen



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Large-screen with rotating ads
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slot Quantity	54 (6 layers*9 slots)
Slot type	Spiral / Conveyor / Pusher
Slot capacity	270
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1965mm (77.3in) W:1189mm (46.8in) D:927mm (36.5in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 600W Normal 120W
Weight	400kg (881.8lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Elevator Vending Machine

TCN-CEL-11G(V22)+11R



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5\"/>



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface

Specification

Slot Quantity	60	120
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300	600
Product	salad/vegetable/drink/snack/ combo	
Dimension	H:1955mm	(76.9in)
	W:1443mm	(57.2in)
	D:850mm	(33.4in)
	H:1955mm	(76.9in)
	W: 2509mm	(99.1in)
	D: 850mm	(31.4 in)
Screen	21. 5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 550W Normal 120W Refrigerated 1100W Normal 180W	
Weight	380kg (837.7lb) 650kg (1433lb)	
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

TCN-CEL-10C(V22)+10R



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5\"/>



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface
- Deepened cabinet with larger lane capacity

Specification

Slot Quantity	60	120
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300 pcs	600 pcs
Product	Fresh fruits, beverage, snack, combo	
Dimension	H:1952mm	(76.8in)
	W:1352mm	(53.2in)
	D:880mm	(34.6in)
	H:1952mm	(76.8in)
	W:2310mm	(90.9in)
	D:880mm	(34.6in)
Screen	21. 5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 550W Normal 120W Refrigerated 860W Normal 200W	
Weight	330kg (727lb)	560kg (1234lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

TCN-CFS-11G(V22)+TCN-CFS-11V-R



Intelligent
elevator system



Humanized
pick-up door



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface
- Add a companion unit to achieve double capacity

Specification

Slot Quantity	70	140
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	420-560pcs	840-1120pcs
Product	salad/vegetable/drink/snack/ combo	
Dimension	H:1960mm (77.1in) W:1704mm (67.09in) D:975mm (38.3in)	
	H:1960mm (77.1in) W:2640mm (103.9in) D:975mm (38.3in)	
Screen	21.5" Touch Screen	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 850W Normal 160W Refrigerated 1300W Normal 260W	
Weight	410kg (903.lb) 710kg (1565lb)	
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods Bill,coin,Cashless payment		
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

TCN-CEL-84C(V22)



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature

- Smooth Elevator Delivery for Fragile Items
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification


Slot Quantity	60 with cooling, 24 non- cooling
Slot type	Spiral / Conveyor / Pusher
Slot capacity	420 pcs
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1955mm (76.9in)
	W:1443mm (56.8in)
	D:850mm (33.4in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V
	50/60Hz
Power	Refrigerated 580W Normal 120W
Weight	450kg (992lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable
	Optional: Extra heating module
Payment methods Bill,coin,Cashless payment	
Support	Credit/Debit
	Card: VISA/Master Card/AMEX
	E-wallet: Alipay/Monyx/Apple pay/
	Google Pay/Samsung Pay

Intelligent Micro Market




Intelligent Micro Market

TCN-CMX-13N(V22)



XY axis intelligent
scanning positioning



21.5"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



Auto Door
Humanized
pick-up door



Telemetry
system

Feature

- Precise positioning for accurate dispensing.
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile item

Specification

Quantity	Max 119 slots(7 layers: 17 pusher)
Types	pusher
Capacity	833~1188pcs
Product	drinks, snacks, medicine, 3C digital, cosmetics, daily products, toys, presents
Dimensions	H:1970mm W:1928mm D:980mm
Screen	21.5" Touch Screen
Voltage	AC100V-240V,50/60HZ
Power	Refrigerated 1150W Normal 370W
Weight	670kg (1477lb)
Temperature	4°C-25°C
Payment methods	Bill,coin,Cashless payment
Optional	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Intelligent Micro Market

TCN-CMX-10N(V22)




XY axis intelligent scanning positioning



21.5" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Humanized pick-up door



Telemetry system

Feature

- Precise positioning for accurate dispensing
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile items

Specification

Quantity	Max 77 slots(7 layers: 11 direct push)
Types	Pusher
Capacity	539-819pcs
Product	drinks, snacks, medicine, 3C digital, cosmetics, daily products, toys, presents
Dimensions	H:1970mm W:1440mm D:980mm
Screen	21.5" Touch Screen
Voltage	AC100V-240V,50/60HZ
Power	Refrigerated 600W Normal 300W
Weight	480kg (1058 lb)
Temperature	4°C-25°C
Payment methods	Bill,coin,Cashless payment
Optional	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay



Hot Food Vending Machine

Hot Food Vending Machine

TCN-CFM-8V+TCN-CFM-ZV(V22)




XY axis intelligent scanning positioning



21.5" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Microwave quick heating



Telemetry system

Feature


- Ozone sterilization for hygienic storage.
- Expired items trigger alerts and auto-block sales.
- Smooth product delivery.
- Fast heating in 75 seconds.

Specification

Slot Quantity	28-48
Slot type	Conveyor
Slot capacity	56-160 boxes
Product	Sandwich, box meal, mexican food, noodles
Dimension	H:2040mm (80.3in) W:1882mm (74.1in) D:991mm (39.0in)
Screen	21.5" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 700W Heating 3750W
Weight	630 kg (1388.91lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN-CFM-4C(H32)



32" Touch Screen



Humanized pick-up door



Integral Foaming Refrigeration



Ozone generator
With Ozone
sterilization function



Microwave quick heating



Telemetry system

Feature


- Ozone sterilization for hygienic storage
- Fast heating in 60 seconds
- Smooth product delivery
- Expired items trigger alerts and auto block sales

Specification


Slots Quantity	60
Slot Type	Rotary shelves
Capacity	60-68 boxes
Product	Unsealed packing Box meal, Fast food
Dimensions	H:1940mm W:1220mm D:1015mm
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Heating 3000W Refrigerated 700W
Weight	450kg (992lb)
Temperature	4°C~25°C adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Mini Hot Food Vending Machine

TCN-CFM-2N(V22)



Intelligent
elevator system



21.5"
Touch Screen



Integral Foaming
Refrigeration



Anti-theft
shield



Microwave
quick heating



Telemetry
system

Feature


- Compact footprint for flexible placement
- Smooth product delivery
- Expired items trigger alerts and auto-block sales

Specification


Slot type	Conveyor
Slot capacity	24 boxes
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:1998mm(78.6in) W:650mm(33.4in) D:645mm(25.3in)
Screen	21.5" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2500W
Weight	180 kg (396lb)
Temperature	4°C~25°C (39.2°F~77°F)
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN-CMX-10V+TCN-CMX-ZV(V32)



32"
Touch Screen



Humanized
pick-up door



Integral Foaming
Refrigeration



Ozone generator
With Ozone
sterilization function



Microwave
quick heating



Telemetry
system

Feature

- Ozone sterilization for hygienic storage
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Slot Quantity	24
Slot type	Spiral / Conveyor
Slot capacity	120
Product	Bread/Hamburger/sliced pie & sandwich
Dimension	H:1965mm (77.3in) W:1645mm (64.7in) D:960mm (37.7in)
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2500W
Weight	650 kg (1433lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN-CFM-6V +TCN-CFM-ZV (V22)-SW




Double microwave
quick heating




21.5"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



XY axis intelligent
scanning positioning



Telemetry
system

Feature

- Ozone sterilization for hygienic storage
- Fast heating in 60 seconds
- Expired items trigger alerts and auto-block sales

Specification

Slots Quantity	90
Shipping Method	Double pick-up port, lifting + precise delivery of manipulators
Capacity	90 boxes
Product	Unsealed packing Box meal, Fast food, soup
Dimensions	H: 2082mm (81.9in) W: 1652mm (65.0in) D: 710mm (27.9in)
Sell goods	185*170*70mm(max) (7.28*6.69*2.75in) 170*130*35mm(min) (6.69*5.11*1.37in)
Screen	21.5 inch infrared screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	Heating 3750W*2
Temperature	4°C~25°C (39.2°F~77°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Pizza Vending Machine

TCN-CMX-3C(V32)-PA



XY axis intelligent
scanning positioning



32"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



Infrared heating



Telemetry
system

Feature


- Heats each pizza in 3 minutes
- Adjustable time & temperature
- Opens boxes before heating for perfect pizza
- Expired items trigger alerts and auto-block sales

Specification

Slots Quantity	80
Shipping Method	Lifting + precise delivery of manipulators
Capacity	60/80 boxes
Product	7-12 inches Pizza
Dimensions	H:1950mm (76.7in) W:2000mm (74.8in) D:1100mm (39.3in)
Screen	32 inch touch screen
Voltage	AC220V-240V 50HZ
Heating Power	4800W
Temperature	2°C~25°C (35.6°F~77°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN-NFM-2C-ZM



21.5" Touch Screen



Auto Door



All-steel Thickened Fuselage



Intelligent elevator system



Steam heating



Telemetry system

Feature

- Fast heating in 4 minutes
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Slots Quantity	20
Capacity	80 PCS
Product	Noodles
Dimensions	H:1989mm (78.31in) W:1000mm (39.37in) D:1015mm (39.96in)
Sell goods	225*125*75mm(max) (8.86*4.92*2.95in) 80*80*40mm(min) (3.15*3.15*1.57in)
Screen	21.5 "Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	4500W
Weight	400kg (881.8lb)
Payment methods	Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN- FFM-4C(H32)



32" Touch Screen



Auto Door



Integral Foaming Refrigeration



Ozone generator With Ozone sterilization function



Double microwave quick heating



Telemetry system

Feature

- Ozone sterilization for hygienic storage
- Fast heating in 90 seconds
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Capacity	60~84 PCS
Product	Box meal
Dimensions	H:2060mm (81.1in) W:1485mm (58.4in) D:1095mm (43.1in)
Sell goods	225*125*75mm(max) (8.86*4.92*2.95in) 80*80*40mm(min) (3.15*3.15*1.57in)
Screen	32"Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	8500W
Weight	750 kg (1653.4lb)
Temperature	-18°C
Payment methods	Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot & Frozen food vending machine

TCN-FFM-8V(V55)+TCN-FFM-ZV(V22)



Microwave quick heating



55" large advertising screen



Humanized pick-up door



Ozone generator With Ozone sterilization function



Refrigeration -18°C



Telemetry system

Feature

- -18°C Frozen Storage
- Ozone sterilization for hygienic storage
- Fast heating in 90 seconds
- Expired items trigger alerts and auto block sales

Specification

Slot type	Conveyor
Slot capacity	48-140 boxes
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:2040mm (80.3in) W:1780mm (70.0in) D:1123mm (44.2in)
Sell goods	220*175*75mm(max) (8.66*6.88*2.95in) 48 boxes 190*115*65mm(min) (7.48*4.5*2.56in) 140 boxes
Screen	55" large advertising screen 21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	3750W
Refrigerated Power	1800W
Temperature	-18°C~25°C (-0.4°F~77°F)
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

TCN-FFM-ZV-HB+TCN-FFM15V(H32)



Microwave quick heating



Humanized pick-up door



Integral Foaming Refrigeration



Ozone generator With Ozone sterilization function



32" Touch Screen



Telemetry system

Feature

- Ozone sterilization for hygienic storage
- Fast heating in 75 seconds
- Expired items trigger alerts and auto-block sales

Specification

Slot type	Conveyor
Slot capacity	90-170
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:1940mm (76.3in) W:1370mm (53.9in) D:1280mm (50.3in)
Sell goods	180*180*70mm(max) (7.08*7.08*2.75in) 100*100*40mm(min) (3.93*3.93*1.57in)
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	Heating 3750W
Weight	400kg (881.85lb)
Temperature	-26°C~10°C (-148°F~14°F) adjustable Optional: Extra heating module
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Elevator Vending Machine with microwave

TCN- CEL-11G(V22)+WB




Triple Microwave for Quick Heating



21.5"capacitive screens



Integral Foaming Refrigeration



Glass defogging system



Intelligent elevator system



Telemetry system

Feature

- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface

Specification

Slot Quantity	60	
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300	
Product	salad/vegetable/drink/snack/ combo box meal	
Dimension	H:1945mm	(76.6in)
	W:1993.5mm	(78.4in)
	D:850mm	(33.4in)
Screen	21.5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 750W Normal 80W	
Heating Power	3*1000 W	
Weight	510kg (1124.3lb)	
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	



Ice Cream Vending Machine

Ice Cream Vending Machine

TCN-ICE-D2-133(22SP)



Multiple flavors




21.5" Touch Screen



30s Quick Making



Automatic cleaning



Humanized pick-up door



Telemetry system

Feature

- Anti-ant design: Sealed cooling for safe storage
- Energy-efficient: 120 cups per 1 kWh
- Imported compressor and worm-gear motor for stability

Specification

Taste	16
Storage capacity	100 cups(10.9L)
Product	Fresh-made ice cream
Dimension	H:1822mm (21.7in) W:858mm (33.8in) D:1005mm (39.5in)
Screen	21.5" Touch Screen
Voltage	AC220V-240V, 50Hz.
Power	200W standby 2000W during dispensing
Weight	300 kg (661lb)

Customization Options



Payment Features:
Optional cash payment, membership card, and IC card functions.

Lighting Effects:
Optional colorful lighting and lightboxes to enhance visual appeal.


Customization Services:
Support for platform integration and third-party payment systems.

Freezer Vending Machine

TCN-FEL-9C(V22)



Intelligent elevator system



21.5"capacitive screens



Integral Foaming Refrigeration



Glass defogging system



Weight sensing technology



Telemetry system

Feature

- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface



Specification

Slots quantity	45-slots
Type	Conveyor / Spiral
Capacity	270-500
Product	ice cream, meat, frozen food
Dimensions	H:1960mm (77.1n) W:1375mm (54.1in) D:875mm (34.4in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apple pay/
Google Pay/Samsung Pay

Freezer Vending Machine

TCN-FEL-6G(V10)



Intelligent
elevator system



10.1"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



Anti-theft
shield



Telemetry
system

Feature

- Small Footprint, Flexible Denlovmnt
- Outward-oneninn door nrouonte enuchino franile itoms
- Multi-Language User Interface

Specification

Slots quantity	30 slots
Type	Conveyor / Spiral
Capacity	150-330
Product	Ice cream
Dimensions	H:1960mm (77.1in) W:850mm (33.4in) D:930mm (36.6in)
Screen	10" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	340kg (749lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

TCN-FMX-9C(V22)



Intelligent
elevator system



21.5"capacitive
screens



Integral Foaming
Refrigeration



Glass
defogging system



Anti-theft
shield



Telemetry
system

Feature


- Products are dispensed to a side pickup point for direct access
- Multi-Language User Interface

Specification

Slot Quantity	54
Slot type	Conveyor / Spiral
Slot capacity	270-500
Product	ice cream meat frozen food
Dimension	H:1960mm (77.1in) W:1420mm (55.9in) D:982mm (38.7in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

TCN-FEL-9G(V49)



Intelligent
elevator system



49"
Touch Screen



Integral Foaming
Refrigeration



Photoelectric
Dispensing Detection



Anti-theft
shield



Telemetry
system

Feature


- Large-screen with rotating ads
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slot Quantity	5 shelves, 9 slots wide as default
Slot type	Conveyor / Spiral
Slot capacity	270-500
Product	ice cream / meat / frozen food
Dimension	H:1960mm (77.in) W:1163mm (45.7in) D:944mm (39.1in)
Screen	49" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470 kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

TCN-FSC-9C(V22)



All-steel
Thickened Fuselage



21.5" Touch
screens



Integral Foaming
Refrigeration



Glass
defogging system



Anti-theft
shield



Telemetry
system

Feature

- Inward-push door for efficient, one-step retrieval
- Insulated delivery bin
- Multi-Language User Interface

Specification

Slots quantity	45-slots
Type	Conveyor / Spiral
Capacity	270-500
Product	ice cream, meat, frozen food
Dimensions	H:1960mm (77.1n) W:1375mm (54.1in) D:875mm (34.4in)
Screen	21.5" Touch screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	420kg (925lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Coffee Machine



Freshly Ground Coffee Machine

TCN-NCF-7N(V22)



Italian
type extractor



21.5"capacitive
screens



Swiss flat
knife sharpener



Precise
temperature control



Coffee bean
pre-soaking



Self-cleaning

Feature


- Customizable recipes via backend
- Supports 70/80/90mm cup sizes
- Rich, fine coffee crema for a smooth taste
- Compatible with external water supply or internal water tank

Specification

Coffee bean hopper	1.5Kg (3.31lb)
Instant canisters	(4L*6)
Brewer system	7-16g powder
Cup capacity	120 cups,120caps(optional)
Dimensions	H:1730mm (68.1in) W:620mm (24.4in) D:730mm (28.7in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3000W
Standby power	Less than 25W
Making time	About 45s
Weight	220 kg (485.02lb)
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Ice making Coffee Machine

TCN- NCF-8N(V32)



Italian
type extractor



32"
Touch Screen



Swiss flat
knife sharpener



Precise
temperature control



Coffee bean
pre-soaking



Self-cleaning

Feature


- Customizable recipes via backend
- Built-in ice-making module for cold drink
- Rich, fine coffee crema for a smooth taste
- Compatible with external water supply or internal water tank

Specification


Coffee bean hopper	1.5Kg (3.31lb)
Instant canisters	(4L*6)
Brewer system	7-16g powder
Ice production	75Kg/day (ambient temperature: 25)
Syrup	Customizable syrup
Cup capacity	150 cups, 100Z/120Z/160Z
Dimensions	H: 1940mm (76.3in) W: 900mm (35.4in) D: 795mm (31.2in)
Screen	32" Touch Screen
Weight	290kg
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3200W
Standby power	Less than 80W
Making time	About 60s
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freshly Ground Coffee Machine


TCN-NCF-4N(V10.1)



Italian
type extractor



10.1"
Touch Screen



Swiss flat
knife sharpener



Precise
temperature control



Coffee bean
pre-soaking



Self-cleaning

Feature

- Customizable recipes via backend
- Rich, fine coffee crema for a smooth taste

Specification

Coffee bean hopper	1.2Kg (2.65lb)
Instant canisters	(4L*2 /2L*1)
Brewer system	7-16g powder
Dimensions	H:810mm (31.8in) W:500mm (19.6in) D:450mm (17.7in)
Screen	10.1" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3000W
Standby power	Less than 30W
Making time	About 60s
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Coffee and Snack Combo Machine


TCN CSC-10G(V22)-CF



4 hot, 4 cold
instant drink



21.5"capacitive
screens



Ultra-microporous
high density foam layer



International
MDB standard



Grating
detection



Telemetry
system

Feature

- Flexible cup options: machine or personal
- One Machine for Noodles, Coffee & Retail Items
- Compatible with external water supply or internal water tank

Specification

Slots quantity	60 slots
Type	Spring slots /Conveyor
Capacity	All beverage 300 pcs
Instant canisters	4L*4
Quantity of cups	180 pcs
Cup Rim Size	70mm / 80mm / 90mm
Suitable for	drinks, snacks, coffee etc, cup noodles
Dimensions	H:1951mm (76.8in) W:1440mm (56.7in) D:791mm (31.14in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Heating 1800W Refrigerated 422W Normal 40W
Weight	320 kg (705lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay



Mystery box
Vending Machine

Mystery Box Vending Machine

TCN-NMX-10N(V22)



XY axis intelligent scanning positioning



21.5" capacitive screens



Humanized pick-up door



Basket type pickup mechanism



Luxury panoramic window



Telemetry system

Feature

- Precise positioning for accurate dispensing.
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile items

Specification

Slots quantity 5 trays with 11 pusher slots on each tray

Type Pusher

Capacity 210-300

Suitable for Collectible toys, Fine Gadgets, Stationery items

Dimension H: 1970mm (77.5inch)
W: 1887mm (74.2inch)
D: 990mm (38.9inch)

Screen 21.5" capacitive screens

Voltage AC110V~120V/220V~240V
50/60Hz

Power Normal 400W

Weight 460 kg (1014lb)

Surveillance video, membership/student/IC card payment options and third-party payments

Optional Hospitals, schools, shopping malls, subway stations, airports, etc.



Non-refrigerated

Vending Machine

Free Standing Age Verification Automat

TCN-NSC-3N(V32)



All-steel
Thickened Fuselage



32"
Touch Screen



Low cost
and risk



Telemetry
system

Feature


- Supports secure age verification.
- Wall mount/Built In, suits Anywhere

Specification


Quantity	5 trays, 3 spiral slots wide, 11 vacancies per slots for disposable pens
Type	Spiral slot
Capacity	Maximum 225 pcs
Suitable for	Disposable vape pens/ E juice bottle/Replacement coils, small items
Dimension	H: 1835mm (72.2in) W: 700mm (27.5in) D: 700mm (27.5in)
Screen	32 inch touch screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	80W
Net Weight	130 kg (286.60lb)
Gross Weight	180 kg (396.83lb)
Temperature	Ambient Temperature
Payment methods	Bills, bankcards, QR Pay
Age Verification	Read birthday from ID/Drive license to compare age required, Give pass to purchase
Disclaimer	Privacy data is completely safe, only match age, no memory

Non-refrigerated Vending Machine

TCN-NSC-10C(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



All-steel
Thickened Fuselage



Telemetry
system

Feature


- Token operation available upon customization
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slots quantity	60 slots
Type	Spring slots
Capacity	300 pcs
Suitable for	Snacks, Chips, Candy bar
Dimension	H:1940mm (76.3in) W:1121mm (44.1in) D:771mm (30.3in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	50W
Weight	230kg (507lb)
Payment methods	Bill, coin, Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Non-refrigerated Vending Machine


TCN-NSC-10C(H5)+19S



Photoelectric
Dispensing Detection



Anti-theft
shield



One product
per grid



Telemetry
system

Feature

- One item per slot, any size or shape.
- Supports diverse products without restrictions.
- Combo packs available to boost sales.

Specification


Slots quantity	60+19
Type	Spring slots
Capacity	300+19 pcs
Suitable for	Snacks,Chips,Candy bar
Dimension	H: 1940mm (76.3in) W: 2201mm (86.6in) D: 771mm (30.3in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	40W
Weight	320 kg (705.48lb)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Phone Case Printing Vending Machine

TCN-NPC-9C(V22)



XY axis intelligent
scanning positioning



21.5"
Touch Screen



Industrial UV
Printing Technology



Humanized
pick-up door



All-steel
Thickened Fuselage



Telemetry
system

Feature

- 2-3 Minute Instant Printing & Pickup
- Fits 80+ iPhone Case Models
- Custom Image & Photo Upload

Specification


Slots quantity	80
Capacity	300~800
Product	Phone case
Dimensions	H:1966mm(77.4in) W:1230mm(48.4in) D:1022mm(40.24in)
Screen	21.5 "Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Weight	350 kg (771.6lb)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Vending Lockers




Quantity	19
Power	30W
Weight	120kg (264.5lb)
Dimension	H:1933mm W:1080mm D:320mm (76.1in) (42.5in) (12.6in)

Suitable for Drinks, Snacks, Toys, Combo Non-refrigerated goods




	27
	36W
	120 kg (264.5lb)
Voltage	AC110V~120V/220V~240V,50/60Hz

Optional E-wallet: Ali pay, Wechat pay, card payment functions




	40
	45W
	120 kg (264.5lb)
Temperature	Normal




	64
	45W
	120kg (264.5lb)
H:1933mm W:1080mm D:320mm (76.1in) (42.5in) (12.6in)	

Suitable for Drinks, Snacks, Toys, Combo Non-refrigerated goods



	80
	50W
	130kg (286.6lb)
AC110V~120V/220V~240V,50/60Hz	

Optional E-wallet: Ali pay, Wechat pay, card payment functions



	36
	700W
	130 kg (286.6lb)
SMART HEATED LOCKERS	